



GT Bottle Jacks

- Large base plates for increased stability.
- Suitable for heavy duty use.
- Grooved saddles.

capacity (kgs)	minimum height (mm)	lifting height (mm)	adjusting height (mm)	weight (kgs)	code
2000	181	116	48	3.1	V2001
3000	194	118	60	3.8	V2002
5000	216	127	70	5.1	V2003
8000	230	147	80	5.8	V2004
10000	230	150	80	7.1	V2005
12000	230	155	80	8.3	V2006
15000	230	150	80	9.3	V2007
20000	242	150	60	11.9	V2008
25000	250	155	60	15.3	V2009
30000	260	155	60	17	V2013
32000	260	155	60	17.5	V2010
40000	260	155	60	23.5	V2011
50000	270	160	60	27.5	V2012



GT Hydraulic Jacks

These versatile and stable units are easy to operate and made to withstand the toughest and most arduous of conditions.

- Compact and heavy duty construction.
- The jack housing revolves 360 degrees and can be used in any position.
- Removable pump lever allows accurate adjustment.
- Overload protection built into each unit.

model no.	capacity (kgs)	lifting range of foot (mm)	lifting range of head (mm)	weight (kgs)	code
HM50	5000	25 - 230	368 - 573	20	U3301
HM100	10000	30 - 260	420 - 650	35	U3302
HM250	25000	58 - 273	505 - 720	100	U3303



GT Toe Jacks

These versatile and stable units are easy to operate and made to withstand the toughest and most arduous of conditions.

- Extra low profile lifting toe.
- Adjustable lifting toe.
- Heavy duty casing for all industrial applications.
- Overload pump allows adjustments.

model no.	capacity (kgs)	lifting stroke (mm)	minimum toe height (mm)	lifting range (mm)	weight (kgs)	code
TG30	3000	130	15	15-240	22	V3101
TG80	8000	140	25	25-295	28	V3102



George Taylor & Company Lifting Gear (Midlands) Ltd. Brickyard Road, Aldridge, West Midlands WS9 8SR

Telephone: 01922 457916 or visit: www.gtlifting.co.uk

ALL OFFERS ARE SUBJECT TO OUR CONDITIONS OF BUSINESS